

Product datasheet

Specifications



MKII Touchscreen, C-Bus Control and Management System, Saturn Series, with Logic Engine

5080CTL2-6

Main

Range	C-Bus
Product brand	Clipsal
Product or component type	Touch panel screen
Device application	Control
Colour	Saturn black
Bus type	KNX-RF

Complementary

Device composition	Display IR sensor
Function available	With integrated bus coupling unit
Local signalling	LED
Mounting support	wall
Depth	47 mm
Height	136 mm
Width	195 mm
Colour code	6

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.6 cm
Package 1 Width	12 cm
Package 1 Length	18 cm
Package 1 Weight	1.2 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	4
Package 2 Height	32.8 cm
Package 2 Width	34.2 cm
Package 2 Length	39 cm
Package 2 Weight	5.5 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

Unit Type of Package 3	PAL
Number of Units in Package 3	48
Package 3 Height	116 cm
Package 3 Width	71 cm
Package 3 Length	69 cm
Package 3 Weight	84192.16 g

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	676 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	2 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.4 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.5 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	156 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.6 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen-free status	Halogen free product
PVC free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	6
End of life manual availability	End of Life Information
Take-back	No