

Product datasheet

Specifications



Relay, C-Bus, DIN Rail Mounted,
Fan Control, 240V AC, 1 Channel,
1.5A, Without C-Bus Power Supply

L5501RFCP

Main

Range of product	C-Bus
Product brand	Clipsal
Range	C-Bus
Product or component type	Relay
Device application	Fan speed controller

Complementary

Rated voltage	100...250 V AC 50/60 Hz
Local signalling	LED
Connector type	Screw terminals
[Us] rated supply voltage	15...36 V DC
Nominal output power	350 W
Number of modules	3
Number of channels	1
Width	55 mm
Height	93 mm
Depth	65 mm
Device mounting	DIN rail

Environment

IP degree of protection	IP20
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.0 cm
Package 1 Width	11.5 cm
Package 1 Length	15.5 cm
Package 1 Weight	273.0 g
Unit Type of Package 2	PAL
Number of Units in Package 2	240
Package 2 Height	103.0 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	66.0 cm
Package 2 Length	67.5 cm
Package 2 Weight	91.6 kg
Unit Type of Package 3	CAR
Number of Units in Package 3	8
Package 3 Height	20.6 cm
Package 3 Width	22.5 cm
Package 3 Length	33.0 cm
Package 3 Weight	2.72 kg

Contractual warranty

Warranty (in months)	18
----------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Total lifecycle Carbon footprint	61
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration
Halogen-free status	Halogen free product
PVC free	No
Silicone-free	No

Use Again

Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins