

Product datasheet

Specifications



Relay, C-Bus, Surface Mounted,
Extra Low Voltage, 30 V AC DC, 8
Channel, 2A, Without C-Bus
Power Supply

L5108RELV

Main

Range of product	C-Bus
Product brand	Clipsal
Range	C-Bus

Complementary

Connector type	Screw terminals
[Us] rated supply voltage	15...36 V DC
Width	220 mm
Height	80 mm
Depth	39 mm

Environment

IP degree of protection	IP51
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5 cm
Package 1 Width	9 cm
Package 1 Length	25.5 cm
Package 1 Weight	427 g
Unit Type of Package 2	CAR
Number of Units in Package 2	20
Package 2 Height	30 cm
Package 2 Width	28.5 cm
Package 2 Length	39 cm
Package 2 Weight	9.707 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	320
Package 3 Height	116 cm
Package 3 Width	60 cm
Package 3 Length	80 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Weight	142.038 kg
------------------	------------

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	53 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen-free status	Halogen free product
PVC free	No
Silicone-free	No

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	58
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins